

Add:Xia Cao Industrial Zone Wangniudun Town Dongguan City,China

Tel: +86-13650165734 Fax: +86-769-85516146 MSN: winlxb@hotmail.com

Skype: dickeyliao

Website: http://www.kylinmachinery.com E-Mail:rail.jacob@gmail.com

New Catalogue

Picture Specifications Description Application Sample Picture

Paper Bag Machine

KY-1100A Handle paper Bag Machine



Maximum paper size:6001100mm(length)
Minimum paper size:350500mm(Width)
height of paper bag:40-200mm
paper thickness:128-350gsm for art
paper
100-350gsm for kraft paper
Production Speed:60-80pcs/Min

Engine Power:2KW Heater power:1KW Machine weight:2000Kg

Dimension:6000X1900X1500 Packaging volume:18CBM Use: Suitable for making hand paper bag, such as vest bags, flat bags, square bottom bags, gift and so on the material of paper can be OPP, gloss oil, second oil, optical cement, etc.

Feature: Automatic feed paper, stepping motor for length-position, lengthposition at discretion, static dispel, frequency adjusting speed, autodischarge, It enable the sample in good appearance, high speed, high efficiency. It is your ideal excellent environmental-protection bag making equipment

vest bags, flat bags, square bottom bags gift and so on.



KY-400 Food paper bag machine



Paper thickess: 30 -180g /m2 Bag length: 150 -1350mm Bag width: 40 -300mm Side width: 0 -100mm

Speed: 150-300pcs/min(output depends on quality of paper and bag making length)

Power: 10.5KW+printed machine Total weight: 3550Kg Dimension: 10.5MX2.1MX1M

- A) The paper bag materail is fed by Roller
- B) Suited for 30-180gsm paper.
- C) Controls bag length through the human-machine touch screen interface.
- D) PLC programmable servo motor control system

 E) Equipped with an accurate photocell system for printed mark trace
- E) Equipped with an accurate photocell system for printed mark tracking, can the printed machine with 1-6color
- F) Color mark error automatic alarming and stopping system
- G) Automatic oil lubrication system

Kraft Paper, vest paper, flat paper, gift packaging, and so or



KY-190 Handle making machine



Handle length: 190mm Paper strap width: 30-40mm Speed: 250-350pairs/min Power: 4kw Machine weight: 2100kg Machine dimension: 4200*1300*1500mm

Packaging volume: 9CBM

This handle making machine is simple operation, high effection, three difference size, custom made, using hot-melt glue material.

vest bags, flat bags, square bottom bags, gift and so on.



Case Making Machine & Rigid boxes Machine

XY480 Full-Automatic Casemaker



paper size:Min: 120 x 230mm Max:450 x 780mm paper thickness: 100~200gsm Cardboard thickness:1-3mm Min.spine width (S):10mm Maximum quantity cardboard: 6Pcs production speed: 20-25sheets/min Precision: ±0.50mm

motor power: 5kw/380V 3phase Heater power: 6kw machine weight: 3300kg

machine dimension:7750×2500×

Packaging Volume: 35CBM

- Ergonomically perfect arrangement of the feeding and removal stations
- Separate drives, extremely low downtimes, remarkably less waste material, convenient handling
- Practice proven combination of automatic and manual adjustments
- Double-cylinder system of the gluing station enables a thin and uniform glue application



KY-650 Fully Automatic Rigid Boxes Machines



Paper max. size: 610X850MM
Paper min. size: 95X180MM
Box max, size:450X305X130MM
Box min, size: 125X50X12MM
Thickness of Box: 0.8-3MM
Thickness of Paper: 80-160gsm
Production capacity: 25-30PCS/Min
Folding Edge range: 7mm-20mm
Weight: 5800Kg
Power: 17KW

Dimension: 6800X4500X3200MM

Rigid boxes making machine is applicable to producing different kinds of rigid boxes like shoe boxes, shirt boxes, garment boxes, gift boxes, chocolate boxes, phone boxes, etc. Panasonic PLC is adopted...Operable colorful screen is used for automatically gluing the paper, automatic mounting the paperboard, automatic positioning the boxes, and automatic wrapping of all the process of making rigid boxes.

Ridig boxes, set up boxes, shoe boxes, wine boxes, etc



KY-450 Semi-Automatic Case making machine(Singal Worker with one machine)



Thickness: 80---350gsm Min size: 60x60mm Max size: 450x900mm Power: 1.2kw Voltage: 220v/50hz

Speed: 120-200pcs/hour Air compressor: 0.6Mpa Weight: 320kg This Case Maker consists of Manual Cluing Station for Hot Melt or Cold Clue, Automatic Board Placement with Pneumatic Control, Turning-in Station and Pressing Station. The Case maker is equipped with in-direct heating for hot melt glue with facility to add water which evaporates due to heat.

The cover duly glued is held with high speed suction for placing the boards automaticly. The adjustment for using small and big boards is simple & operator friendly. The Pressure rollers bind the cover with the board and stacks in the stacker. Whole operation takes 10 seconds to make a case with one worker.

Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album,and other deluxe packagings.



KY-600D Semi-Auto Hard book Cover Machinery (3-4workers with one machines)



Sheet width:80-600(mm)
Sheet thickness:80-200(g)
Capacity:7-40pcs/min
Power:3HP/380V
Machine Weight:1850Kg
Overall Dimension(L*W*H):
7350X1500X1000(mm)
Packaging Dimension(L*W*H):
First Part:1420X1070X1070(mm)
Sec Part:1600X1200X1080(mm)
Third Part: 2200X1000X1700(mm)
Fourth Part:1900X1180X1060(mm)
Fifth Part: 1070X550X900(mm)
Sixth Part: 1070X550X900(mm)
Packaging Volume: 15CBM

- 1, Automatic feed paper sheets, gluing,capable of uploading thousands of paper sheets at one time
- 2, Equiped with suction device to aviod bending and bubbling
- 3, Simultaneous operation on both side of the convayor
- 4. Timing and temperature control
- 5, Combined with a Two-Edge Wrapping Machine and two Single-Edge Wrapping Machines
- 6, Using hot glue or cold glue

Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album,and other deluxe packagings.



KY-360S Casing in Machine



Power supply: 380W50Hz Mainframe Power: 1.5kw Glue dimension size(max): 360°250mm Glue dimension size(min): 100°90mm Book spine size: 6-55mm Mainframe dimension: 1500°1100°1600mm Machine weight: 360kg. Machine Weight: 780Kg Packaging Volume: 8CBM

Casing in machine is applies to hardcover book, note book, all relevant hardcover products. This machine structure is simple and it is easily operate during the process, it is change the size very quickly. Pasting glue very equally, the process operation very steady, it is applicable to large, medium, small scale quantity with high quality.

Board book, children book, etc



KY-1200 Groove machine



Applicated width: 50-1100mm
Applicated longth:mix50mm
Gap bewteen two slots: 0-900mm
Applicated thickness: 0.8mm-4.0mm
slotting Number:Max 8 (customize)
Speed: 10-35m/min
Power:3.7KW/380V

Packaging Dimension(L*W*H): L1500xW1400xH1600mm

Packaging Volume: 4CBM Gross Weight: 1500Kg Application:

Performs grooves on board sheets.
The wide size(1200MM) allows manufacturing most types of paper-over-board product, especially ring binders and sample book covers with joint spine.

Feature:

Environmental equipment, Dustless, and low noise

High output and fast change-over time.
Production speed(over 60 pcs/min).
Complete with Eight V-shaped blade and a blade sharper

Calendars, Notebook, Folder, Photo Album, Wine Packaging Box, mooncake box, cosmetic box and other deluxe packagings.



KY-500 Box Forming Machine



Finished Case Size(minimum): 100X80X15(mm) Finished Case Size(Maximum): 360X500X100(mm) Capacity:20-40pcs/min Power:1HP/380V

Overall Dimension(L*W*H): 1450X1100X2650(mm)

Packaging Dimension(L*W*H): 1500X1170X2040(mm)


Machine Weight: 600Kg Packaging Volume: 4CBM Box forming machine is used to glue the cover paper on the four sides of box,

Make the cover paper coat and fold-in one after another

Gift boxes, Rigid boxes, Decoratiove boxes, Shoe Box, Phone Box, and other deluxe packaging boxes



KY-40 Box Corner Pasting Machine



Minimum finished Case size: 40X40X10(mm) Capacity: 1pcs/sec Power:0.5HP/200V

Overall Dimension(L*W*H): 800X500X1400(mm) Packaging Dimension(L*W*H):

Machine Weight: 200Kg Packaging Volume: 1CBM

850X550X1500(mm)

- 1. Single arm pressing device equipped with temperature controller.
- 2. Turn over box by hand, workable for varied kinds of boxes.
- 3. Environmental hot-melt adhesive tape is used to paste corner
- 4, The length of tape can be adjustable from 5mm to 35mm
- 5, Size of this Machine can be **Customized**

Gift boxes, rigid boxes, Decoratiove boxes, inner box, or outside box



Turn-in Machine

KY-600H Four side Turn-in Machine



Sheet Width:100-600(mm) Sheet Length: 100-2000(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:1.2KW

Overall Dimension(L*W*H): 3850X1300X1000(mm)

Packaging Dimension(L*W*H): 4000X1400X1300(mm)

Machine Weight: 780Kg Packaging Volume: 8CBM The side-Wrapping Machine is designed to **Auto Fold Four-Side** of Papers,

The guide rollers leads the cover to the edge pressing device,

Then the edge pressing device will fold four sides of the paper and make it sticky tightly to the gray paper,

Making it even smooth and good-looking

Hardbook Cover, Calendars, Notebook, Folder, Photo Album,and other deluxe packagings.



KY-600C Two Side Turn-in Machine



Sheet width:80-600(mm)
Sheet length:100-2000(mm)
Sheet thicknees:80-200g
Capacity:10-40pcs/min

Overall Dimension(L*W*H): 1850X1150X1050(mm)

Packaging Dimension(L*W*H): 1900X1180X1060(mm)

Machine Weight: 450Kg Packaging Volume: 4CBM The Side Wrapping Machine is designed to fold two sides of paper,

The guide rollers lead the cover to the edge cover device,

Then the edge cover device will fold both side of the paper and make it sticky tightly to the gray paper,

Making it even smooth and good-looking

Hardbook Cover, Calendars, Notebook Folder, Photo Album,and other deluxe packagings.



KY-800 Single-Side Turn-in Machine



Sheet width:80-600(mm) Sheet length:100-2000(mm) Sheet thicknees:80-200g Capacity:10-40pcs/min Power:0.5HP/380V

Overall Dimension(L*W*H): 950X500X800(mm)

Packaging Dimension(L*W*H): 1070X550X900(mm)

Machine Weight: 100Kg Packaging Volume: 1CBM The Side Wrapping Machine is designed to fold one sides of paper,

The guide rollers lead the cover to the edge cover device by man power,

Then the edge cover device will fold one side of the paper and make it sticky tightly to the gray paper,

Making it even smooth and good-looking

Hardbook Cover, Calendars, Notebook, Folder, Photo Album,and other deluxe packagings.



KY-950 Planishing Machine



Finished Size: 900(mm) Maximum Capacity: 50 Pcs/Min Power: 1HP/380V

Overall Dimension(L*W*H): 1200X1150X1700(mm)

Packaging Dimension(L*W*H): 1300X1200X2000(mm)

Machine Weight: 300Kg Packaging Volume: 4CBM This machine is used to press air out of the glued book cover,

Make it even smooth and good looking

Hardbook Cover, Calendars, Notebool Folder, Photo Album,and other deluxe packagings.



Gumming/Gluing Machine

KY-650A Auto Feed Paper and Gluing Machine(Feeder)



Sheet width:80-600(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:3HP/380V

Overall Dimension(L*W*H): 6350X1100X1000(mm)

Packaging Dimension(L*W*H): First part:1420X1070X1070(mm) Sec part:1600X1200X1060(mm) Third part: 2200X1000X1700(mm)

Machine Weight: 1200Kg Packaging Volume: 9CBM

- Automatic feed paper sheets, gluing,capable of consume thousands of paper sheets at one time
- 2, Equiped with suction device to aviod bending and bubbling
- 3, Simultaneous operation on both side of the convayor
- 4, Timing and temperature control
- 5, Using hot glue or cold glue

Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album,and other deluxe packagings.



KY-650B Auto Feed paper and Gluing Machine(Rubber Wheel)



Sheet width:80-600(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:3HP/380V


Overall Dimension(L*W*H): 6250X1100X1000(mm)

Packaging Dimension(L*W*H): First part:1600X1300X1070(mm) Sec part:2200X1000X1700(mm)

Machine Weight: 850Kg Packaging Volume: 6CBM

- 1, Automatic feed paper sheets by rubber wheel, gluing,capable of consume **hundreds of paper sheets** at one time
- 2, Equiped with suction device to aviod bending and bubbling
- 3, Simultaneous operation on both side of the convayor
- 4, Timing and temperature control
- 5,Using hot glue or cold glue

Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album,and other deluxe packagings.



KY-650C Feed paper and Gluing Machine(Manual)



Sheet width:80-600(mm) Sheet thickness:80-250(g) Capacity:7-40pcs/min Power:3HP/380V

6250X1100X1000(mm)

Packaging Dimension(L*W*H): First part:1600X1300X1070(mm) Sec part:2200X1000X1700(mm)

Machine Weight: 800Kg Packaging Volume: 6CBM

- 1, Feed paper sheets by Man power
- 2. Equiped with suction device to aviod bending and bubbling
- 3, Simultaneous operation on both side of the convayor
- 4, Timing and temperature control
- 5,Using hot glue or cold glue

Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album,and other deluxe packagings.



KY-700 Heat-mult Gluing Machine



Maximum sheet width:700(mm) Sheet thickness:80-300g Coating thickness:0.2-3.5(mm) Capacity:23m/min

Overall Dimension(L*W*H): 1200X450X980 (mm)

Packaging Dimension(L*W*H): 1300X500X1100(mm)

Machine Weight: 100Kg Packaging Volume: 1CBM Gluing machine is used to glue in the process of making Hardbook Cover, Gift Boxes,

This machine is of sample struture, flexible operation

Convenient adjustment and even gluing application.

Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album,and other deluxe packagings.



KY-703 Heat-mult Gluing Machine



Maximum sheet width:600(mm)
1300(mm)
Sheet thickness:80-300g
Coating thickness:0.2-3.5(mm)
Capacity:23m/min
Power:5KW
Overall Dimension(L*W*H):
1200X450X980 (mm)
Packaging Dimension(L*W*H):
1300X500X1100(mm)
Machine Weight: 100Kg
Packaging Volume: 1CBM

Gluing machine is used to glue in the process of making Hardbook Cover, Gift Boxes,

This machine is of sample struture, flexible operation,


Convenient adjustment and even gluing application.

Notebook, Folder, Ph



Rigid boxes Making Machine

KY-40 Box Corner Pasting Machine



Minimum finished Case size 40X40X10(mm) Capacity: 1pcs/sec


Overall Dimension(L*W*H): 800X500X1400(mm)

Packaging Dimension(L*W*H): 850X550X1500(mm)

Machine Weight: 200Kg Packaging Volume: 1CBM

- 1. Single arm pressing device equipped with temperature controller.
- 2. Turn over box by hand, workable for varied kinds of boxes.
- 3. Environmental hot-melt adhesive tape is used to paste corner
- 4, The length of tape can be adjustable from 5mm to 35mm
- 5, Size of this Machine can be Customized

Gift boxes, rigid boxes, Decoratiove boxes, inner box, or outside box



KY-420 Box fold-in Machine



Finished Case Size: 420x360x150(mm) Capacity:20-30pcs/min Power:0.5HP/220V

Overall Dimension(L*W*H): 800X700X800(mm)

Packaging Dimension(L*W*H): 950X820X1170(mm)

Machine Weight: 280Kg Packaging Volume: 1CBM This machine is designed as folding and forming for the surface paper box

The pressure nozzles are used to bend the extruding parts of the surface paper into the boxes, capable of adjusting the length and the heigth of the pressure nozzle according to the size of the boxes,

This machines are equiped with device such as **pendal switch and** magic eye switch

Gift boxes, rigid boxes, Decoratiove boxes, inner box, or outside box



KY-180 Paper boxes press machine



Finished Case Size(minimum): 100X80X15(mm)

Finished Case Size(Maximum): 360X500X100(mm)

Capacity:20-40pcs/min

Power:1HP/380V

Paper boxes pressing machines is used to avoid and press the bubble on the surface of the paper

boxes, it is wild used in the packaing industry.

Gift boxes, rigid boxes,Decoratiove boxes, inner box, or outside box



KY-500 Box Forming Machine



Finished Case Size(minimum): 100X80X15(mm) Finished Case Size(Maximum): 360X500X100(mm) Capacity:20-40pcs/min Power:1HP/380V

Overall Dimension(L*W*H): 1450X1100X2650(mm)

Packaging Dimension(L*W*H): 1500X1170X2040(mm)

Machine Weight: 600Kg Packaging Volume: 4CBM Box forming machine is used to glue the cover paper on the **four sides of box**,

Make the cover paper coat and fold-in one after another

Gift boxes, Rigid boxes, Decoratiove boxes, Shoe Box, Phone Box, and other deluxe packaging boxes



KY-1200 Cylinder Stly Slotting Machine



Applicated width: 50-1100mm
Applicated longth:50mm-unlimited
Gap bewteen two slots: 0-900mm
Applicated thickness: 0.8mm-4.0mm
slotting Number:Max 8 (customize)
Speed: 10-35m/min
Power:3.7KW/380V

Packaging Dimension(L*W*H): L1500xW1400xH1600mm

Packaging Volume: 4CBM Gross Weight: 1500Kg Application

Performs grooves on board sheets.
The wide size(1200MM) allows manufacturing most types of paper-over-board product, especially ring binders and sample book covers with joint spine.

Feature:

Environmental equipment, Dustless, and low noise

High output and fast change-over time. Production speed(over 60 pcs/min).

Complete with eight V-shaped blade and a blade sharper

Calendars, Notebook, Folder, Photo Album, Wine Packaging Box, mooncake box, cosmetic box and other deluxe packagings.



KY-1000B Cardboard&MDF Slotting Machine



Applicated thickness: 1.2(mm)-5(mm)

Power:1.5KW/380V

Overall Dimension(L*W*H): 1700X1300X1200 (mm)

Packaging Dimension(L*W*H): 1750X1350X1300(mm)

Machine Weight:680Kg Packaging Volume: 4CBM

- 1, Low noise&Dustless, Environmental Equipment(the removed parts of cardboard is recyclable)
- 2, Maximun equiped with 10 blades, one sharpen machine(300\$) is offered free
- 3, the blade is workable for cutting 10,000 sheets at one time, and it only takes two minutes to sharp
- 4, the degree of the cutting blade is adjustable from 60°C to 160°C
- 5, Low electricity consumption and high power,economizes the costs6, Workable for Middle Density Fiberboard and gray carboard
- 7, Equiped with straps on the rollers, capable of creasing Right-angle crossing slotted lines, which is able to form a box

Calendars, Notebool Folder, Photo Album Wine Packaging Box, mooncake box, cosmetic box and other deluxe packagings.



KY-1300A Cardboard, MDF, Wooden Board Slotting Machine



Maximum Board size: 1200X1200(mm) Minimum Board size: 130X130(mm) Power:8.65KW

Overall Dimension(L*W*H): 1630X1620X1250(mm)

Packaging Dimension(L*W*H): 1800X1720X1280(mm)

Machine Weight:1800Kg Packaging Volume: 4CBM 1,Capable of slotting Wooden Board, MDF,and gray carboard

2,equiped with blades of different shapes(U shape,Triangle, Rectangle, Diamond)

3.maximum equiped 6 blades

Calendars, Notebook, Folder, Photo Album, Wine Packaging Box, and other deluxe packagings.



Cardboard disposing Machine

KY-1350 Cardboard Slitting Machine



Maximum Width: 1200(mm) Thickness:1-4(mm) Capacity: 75m/min Power:1.5KW

Overall Dimension(L*W*H): 2000X1200X1100 (mm)

Packaging Dimension(L*W*H): 2050X1250X1200(mm)

Machine Weight: 2000Kg Packaging Volume: 4CBM Cardboard cutting machine is good at cutting bookboards, cardboard paper board

Simple Operation, flexible adjustment, high accuracy and efficiency

Bookboards, Cardboard Paper Board, Hard Cover, Hard Card



KY-42 Medium Stripes Cutting Machine



Sheet length: 420(mm) Sheet width: 3-55(mm) Sheet thickness:0.1-4(mm) Capacity: 200 times/min Power:1.1KW

Overall Dimension(L*W*H): 1127X1002X1360(mm)


Packaging Dimension(L*W*H): 1400X1052X1460(mm)

Machine Weight:815Kg Packaging Volume: 3CBM Central stripes machine is used to cut the medium stripes of the cardboard paper,

It is very simple operation, high accuracy and efficiency

The single bar boards can be conveyed in the succession for nonstop cutting to prevent **low efficiency and low accuracy**

Bookboards, Cardboard Paper Board, Hard Cover, Hard Card



Material for Glue Machines

KY-80 Plastic Adhesive Tape



Thickness 0.11mm

Wide:19mm

Longness:300m

24 rolls/Carton

Weight:12Kg/Carton

Packaging size/Carton: 400mmX230mmX260mm

MOQ: 20 Carton

This plastic tape is used for Corner taping machine one roll tape can make 1500 pic boxes of size(200X150X20mm)

Gift boxes, Rigid boxes, Decoratiove boxes, Shoe Box, Phone Box, and other deluxe packaging boxes



KY-502 Hot-Melt/Animal/Jelly Glue



Weight: 2.5Kg/Bag. 36-29-25 MOQ: 500Kg It is used for the high quality gift box, hard book cover, file and so on.All products have the examination report of the environmental protection safety of Hong Kong standard and testing center. All types of our glue past the RoHS certificate.

Jelly glue used in the machine which has the heating device. Because of the lower water in the glue, clean and environmental protection, it can avoid bad quality such as: Distortion, bubble, moldy and so on. Now it is necessary to use for the high quality gift box and hard book cover.

Glue of 1Kg can mix with water of 3Kg, which is able to cover sheet area of $1000m^3$

gift box, hard book



Contact us

Factory address:Xiacao Industry area, Wangniudun town, Dongguan City,China Contact perseon:Mr.Jacob Liao Tel:+86-13650165734 Fax:+86-769-85516146 E-mail:rail.jacob@gmail.com

Website: http://www.kylinmachinery.com MSN: winlxb@hotmail.com

Skype: dickeyliao