















Add: Xia Cao Industrial Zone Wangniudun Town Dongguan City, China

MSN: winlxb@hotmail.com

Tel: +86-13650165734  
Fax: +86-769-85516146



Skype: dickeyliao  
Website: <http://www.kylinmachinery.com>  
E-Mail: rail.jacob@gmail.com

## New Catalogue



Picture	Specifications	Description	Application	Sample Picture
<b>Paper Bag Machine</b>				
<b>KY-1100A Handle paper Bag Machine</b>				
	Maximum paper size: 600-1100mm (length) Minimum paper size: 350-500mm (Width) height of paper bag: 40-200mm paper thickness: 128-350gsm for art paper 100-350gsm for kraft paper Production Speed: 60-80pcs/Min Engine Power: 2KW Heater power: 1KW Machine weight: 2000Kg Dimension: 6000X1900X1500 Packaging volume: 18CBM	Use: Suitable for making hand paper bag, such as vest bags, flat bags, square bottom bags, gift and so on. the material of paper can be OPP, gloss oil, second oil, optical cement, etc.  Feature: Automatic feed paper, stepping motor for length-position, length-position at discretion, static dispel, frequency adjusting speed, auto-discharge. It enable the sample in good appearance, high speed, high efficiency. It is your ideal excellent environmental-protection bag making equipment	vest bags, flat bags, square bottom bags, gift and so on.	
<b>KY-400 Food paper bag machine</b>				
	(Reel of paper) Max wide: 900mm Max Dia: 1000mm Paper thickness: 30 - 180g /m2 Bag length: 100 - 1300mm Bag width: 40 - 320mm  Speed: 200-350pcs/min (output depends on quality of paper and bag making length) Power: 6.85KW + printed machine, 380V Total weight: 3250Kg Dimension: 10.5MX2.1MX1.4M	A) The paper bag material is fed by Roller, materials can be kraft paper, art paper, coated paper, ivory board, etc B) Suited for 30-180gsm paper. C) Controls bag length through the human-machine touch screen interface. D) PLC programmable servo motor control system E) Equipped with an accurate photocell system for printed mark tracking, with printed machine of 1-6 color F) Color mark error automatic alarming and stopping system G) Automatic oil lubrication system	Kraft Paper, vest paper, flat paper, gift packaging, and so on	
<b>KY-300-1 Square bottom paper bag machine</b>				
	(Reel of paper) Max wide: 900mm Max Dia: 1000mm Printed area: 860mm Paper thickness: 30 - 180g /m2 Bag length: 100 - 1300mm Bag width: 40 - 320mm  Overall Dimensions: 8600X1820X2500mm Weight: 3000Kg Power: 6.2KW 380V Speed: 200-350Pcs/min	A) The paper bag material is fed by Roller, materials can be kraft paper, art paper, coated paper, ivory board, etc B) Suited for 30-180gsm paper. can equiped with a 1-4 color printed machine. C) Controls bag length through the human-machine touch screen interface. D) PLC programmable servo motor control system E) Equipped with an accurate photocell system for printed mark tracking, and M shape creasing F) Color mark error automatic alarming and stopping system G) Automatic creasing system can save the cost of production	vest bags, flat bags, square bottom bags, gift and so on.	
<b>KY-35 Hand bag Bottom-pasting machine</b>				
	Bag bottom Size: 30-350mm Production Speed: 60-80pcs/Min Machine size: 4500-1500mm Machine weight: 1200Kg Power: 3.5KW  Packaging volume: 8CBM	This machine is designed to meet the demands for the market, the characterize of this machine is very easy operate, convenient adjustment, stable performance. not glue spill out, so as no need to clean the machine frequency. operate process: 1, fold the bottom of the bag by man power, then put it into the machine. 2, Control the speed according to the skill of the operator. 3, Automatic glued and folded by the machine, pressing the bottom and forming.	vest bags, flat bags, square bottom bags, gift and so on.	
<b>KY-190 Handle making machine</b>				
	Handle length: 190mm Paper strap width: 30-40mm Speed: 250-350pairs/min Power: 4kw Machine weight: 2100kg Machine dimension: 4200*1300*1500mm  Packaging volume: 9CBM	This handle making machine is simple operation, high effecton, three difference size, custom made, using hot-melt glue material.	vest bags, flat bags, square bottom bags, gift and so on.	
<b>KY-390 paper rope making machine</b>				
	Paper rope diameter: 3 to 5 mm Paper strap feeding width: 30 to 100mm Kraft paper weight: 25 to 80 GSM Speed: 30 meters per min and speed is adjustable Machine size: 2200*1200*1100mm Power: 2.2kw Machine weight: 500kgs	This paper rope making machine is newly developed based on the original machines existing in the markets. It is mainly featured with more simple structure, more even rope distance, lower noise, more stableness, easier operation and maintenance. It is very convenient for the integrated production.	paper rope for paper hand	

# Case Making Machine & Rigid boxes Machine



## KY480 Full-Automatic Casemaker

	<p>paper size:Min: 120 x 230mm Max:450 x 780mm paper thickness: 100-200gsm Cardboard thickness:1-3mm Min.spine width (S):10mm Maximum quantity cardboard: 6Pcs production speed: 20-25sheets/min Precision: ±0.50mm</p> <p>motor power : 5kw/380V 3phase Heater power: 6kw machine weight: 3300kg</p> <p>machine dimension:7750x2500x1660mm</p> <p>Packaging Volume: 35CBM</p>	<ul style="list-style-type: none"> <li>• Ergonomically perfect arrangement of the feeding and removal stations</li> <li>• Separate drives, extremely low downtimes, remarkably less waste material, convenient handling</li> <li>• Practice proven combination of automatic and manual adjustments</li> <li>• Double-cylinder system of the gluing station enables a thin and uniform glue application</li> </ul>	
--	--	---	---



## KY-650 Fully Automatic Rigid Boxes Machines

	<p>Paper max. size: 610X850MM Paper min. size: 95X180MM Box max. size:450X305X130MM Box min. size: 125X50X12MM Thickness of Box: 0.8-3MM Thickness of Paper: 80-160gsm Production capacity: 25-30PCS/Min Folding Edge range: 7mm-20mm Weight: 5800Kg Power: 17KW Dimension: 6800X4500X3200MM</p>	<p>Rigid boxes making machine is applicable to producing different kinds of rigid boxes like shoe boxes, shirt boxes, garment boxes, gift boxes, chocolate boxes, phone boxes, etc. Panasonic PLC is adopted...Operable colorful screen is used for automatically gluing the paper, automatic mounting the paperboard, automatic positioning the boxes, and automatic wrapping of all the process of making rigid boxes.</p>	<p>Rigid boxes, set up boxes, shoe boxes, wine boxes, etc</p>	
--	--	--	---	---



## KY-450 Semi-Automatic Case making machine(Singal Worker with one machine)

	<p>Thickness : 80--350gsm Min size: 60x60mm Max size: 450x900mm Power: 1.2kw Voltage: 220v/50hz Speed: 120-200pcs/hour Air compressor: 0.6Mpa Weight: 320kg</p>	<p>This Case Maker consists of Manual Cluing Station for Hot Melt or Cold Clue, Automatic Board Placement with Pneumatic Control, Turning-in Station and Pressing Station. The Case maker is equipped with in-direct heating for hot melt glue with facility to add water which evaporates due to heat.</p> <p>The cover duly glued is held with high speed suction for placing the boards automatically. The adjustment for using small and big boards is simple &amp; operator friendly. The Pressure rollers bind the cover with the board and stacks in the stacker. Whole operation takes 10 seconds to make a case with one worker.</p>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	---	---	---	---



## KY-600D Semi-Auto Hard book Cover Machinery (3-4workers with one machines)

	<p>Sheet width:80-600(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:3HP/380V Machine Weight:1850Kg Overall Dimension(L*W*H): 7350X1500X1000(mm) Packaging Dimension(L*W*H): First Part:1420X1070X1070(mm) Sec Part:1600X1200X1060(mm) Third Part: 2200X1000X1700(mm) Fourth Part:1900X1180X1060(mm) Fifth Part: 1070X550X900(mm) Sixth Part: 1070X550X900(mm) Packaging Volume: 15CBM</p>	<ol style="list-style-type: none"> <li>1, Automatic feed paper sheets, gluing, capable of uploading thousands of paper sheets at one time</li> <li>2, Equiped with suction device to avoid bending and bubbling</li> <li>3, Simultaneous operation on both side of the conveyor</li> <li>4, Timing and temperature control</li> <li>5, Combined with a Two-Edge Wrapping Machine and two Single-Edge Wrapping Machines</li> <li>6, Using hot glue or cold glue</li> </ol>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
---	--	---	---	--



## KY-360S Casing in Machine

	<p>Power supply: 380v/50Hz Mainframe Power: 1.5kw Glue dimension size(max): 360*250mm Glue dimension size(min): 100*90mm Book spine size: 6-55mm Mainframe dimension: 1500*1100*1600mm Machine weight: 350kg. Machine Weight: 780Kg Packaging Volume: 8CBM</p>	<p>Casing in machine is applies to hardcover book, note book, all relevant hardcover products. This machine structure is simple and it is easily operate during the process, it is change the size very quickly. Pasting glue very equally, the process operation very steady, it is applicable to large, medium, small scale quantity with high quality.</p>	<p>Board book, children book, etc</p>	
--	--	---	---------------------------------------	---

## KY-1200 Groove machine



	<p>Applied width: 50-1100mm Applied length:mix50mm Gap between two slots: 0-900mm Applied thickness: 0.8mm-4.0mm slotting Number:Max 8 (customize) Speed: 10-35m/min Power:3.7KW/380V</p> <p>Packaging Dimension(L*W*H): L1500xW1400xH1600mm</p> <p>Packaging Volume: 4CBM Gross Weight: 1500Kg</p>	<p>Application: Performs grooves on board sheets. The wide size(1200MM) allows manufacturing most types of paper-over-board product, especially ring binders and sample book covers with joint spine.</p> <p>Feature: <b>Environmental equipment, Dustless, and low noise</b> High output and fast change-over time. Production speed(over 60 pcs/min). Complete with Eight V-shaped blade and a blade sharper</p>	<p>Calendars, Notebook, Folder, Photo Album, <b>Wine Packaging Box, mooncake box, cosmetic box</b> and other deluxe packagings.</p>	
--	---	--	---	---

## KY-500 Box Forming Machine

	<p>Finished Case Size(minimum): 100X80X15(mm) Finished Case Size(Maximum): 360X500X100(mm) Capacity:20-40pcs/min Power:1HP/380V</p> <p>Overall Dimension(L*W*H): 1450X1100X2650(mm)</p> <p>Packaging Dimension(L*W*H): 1500X1170X2040(mm)</p> <p>Machine Weight: 600Kg Packaging Volume: 4CBM</p>	<p>Box forming machine is used to glue the cover paper on the four sides of box, Make the cover paper coat and fold-in one after another</p>	<p>Gift boxes, Rigid boxes, Decorative boxes, Shoe Box, Phone Box, and other deluxe packaging boxes</p>	
--	---	--	---	---





**KY-40 Box Corner Pasting Machine**



	<p>Minimum finished Case size: 40X40X10(mm) Capacity: 1pcs/sec Power:0.5HP/200V</p> <p>Overall Dimension(L*W*H): 800X500X1400(mm)</p> <p>Packaging Dimension(L*W*H): 850X550X1500(mm)</p> <p>Machine Weight: 200Kg Packaging Volume: 1CBM</p>	<ol style="list-style-type: none"> <li>1. Single arm pressing device equipped with temperature controller.</li> <li>2. Turn over box by hand, workable for varied kinds of boxes.</li> <li>3. Environmental hot-melt adhesive tape is used to paste corner</li> <li>4. The length of tape can be adjustable from 5mm to 35mm</li> <li>5. Size of this Machine can be <b>Customized</b></li> </ol>	<p>Gift boxes, rigid boxes,Decorative boxes, inner box, or outside box</p>	
---	---	---	--	--

**Turn-in Machine**



**KY-600H Four side Turn-in Machine**

	<p>Sheet Width:100-600(mm) Sheet Length: 100-2000(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:1.2KW</p> <p>Overall Dimension(L*W*H): 3850X1300X1000(mm)</p> <p>Packaging Dimension(L*W*H): 4000X1400X1300(mm)</p> <p>Machine Weight: 780Kg Packaging Volume: 8CBM</p>	<p>The side-Wrapping Machine is designed to <b>Auto Fold Four-Side</b> of Papers,</p> <p>The guide rollers leads the cover to the edge pressing device,</p> <p>Then the edge pressing device will fold four sides of the paper and make it sticky tightly to the gray paper,</p> <p>Making it even smooth and good-looking</p>	<p>Hardbook Cover, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	--	---	---



**KY-600C Two Side Turn-in Machine**

	<p>Sheet width:80-600(mm) Sheet length:100-2000(mm) Sheet thickness:80-200g Capacity:10-40pcs/min Power:2HP/380V</p> <p>Overall Dimension(L*W*H): 1850X1150X1050(mm)</p> <p>Packaging Dimension(L*W*H): 1900X1180X1060(mm)</p> <p>Machine Weight: 450Kg Packaging Volume: 4CBM</p>	<p>The Side Wrapping Machine is designed to fold <b>two sides</b> of paper,</p> <p>The guide rollers lead the cover to the edge cover device,</p> <p>Then the edge cover device will fold both side of the paper and make it sticky tightly to the gray paper,</p> <p>Making it even smooth and good-looking</p>	<p>Hardbook Cover, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	--	---	---

**KY-800 Single-Side Turn-in Machine**



	<p>Sheet width:80-600(mm) Sheet length:100-2000(mm) Sheet thickness:80-200g Capacity:10-40pcs/min Power:0.5HP/380V</p> <p>Overall Dimension(L*W*H): 950X500X800(mm)</p> <p>Packaging Dimension(L*W*H): 1070X550X900(mm)</p> <p>Machine Weight: 100Kg Packaging Volume: 1CBM</p>	<p>The Side Wrapping Machine is designed to fold <b>one sides</b> of paper,</p> <p>The guide rollers lead the cover to the edge cover device by man power,</p> <p>Then the edge cover device will fold one side of the paper and make it sticky tightly to the gray paper,</p> <p>Making it even smooth and good-looking</p>	<p>Hardbook Cover, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
---	---	--	---	--

**KY-950 Planishing Machine**



	<p>Finished Size: 900(mm) Maximum Capacity: 50 Pcs/Min Power: 1HP/380V</p> <p>Overall Dimension(L*W*H): 1200X1150X1700(mm)</p> <p>Packaging Dimension(L*W*H): 1300X1200X2000(mm)</p> <p>Machine Weight: 300Kg Packaging Volume: 4CBM</p>	<p>This machine is used to press air out of the glued book cover,</p> <p>Make it even smooth and good looking</p>	<p>Hardbook Cover, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	---	---	---

**Gumming/Gluing Machine**



**KY-650A Auto Feed Paper and Gluing Machine(Feeder)**

	<p>Sheet width:80-600(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:3HP/380V</p> <p>Overall Dimension(L*W*H): 6350X1100X1000(mm)</p> <p>Packaging Dimension(L*W*H): First part:1420X1070X1070(mm) Sec part:1600X1200X1060(mm) Third part: 2200X1000X1700(mm)</p> <p>Machine Weight: 1200Kg Packaging Volume: 9CBM</p>	<ol style="list-style-type: none"> <li>1. Automatic feed paper sheets, gluing, capable of consume <b>thousands of paper sheets</b> at one time</li> <li>2. Equiped with suction device to avoid bending and bubbling</li> <li>3. Simultaneous operation on both side of the conveyor</li> <li>4. Timing and temperature control</li> <li>5. Using hot glue or cold glue</li> </ol>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	--	---	---



**KY-650B Auto Feed paper and Gluing Machine(Rubber Wheel)**

	<p>Sheet width:80-600(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:3HP/380V</p> <p>Overall Dimension(L*W*H): 6250X1100X1000(mm)</p> <p>Packaging Dimension(L*W*H): First part:1600X1300X1070(mm) Sec part:2200X1000X1700(mm)</p> <p>Machine Weight: 850Kg Packaging Volume: 6CBM</p>	<ol style="list-style-type: none"> <li>1. Automatic feed paper sheets by rubber wheel, gluing, capable of consume <b>hundreds of paper sheets</b> at one time</li> <li>2. Equiped with suction device to avoid bending and bubbling</li> <li>3. Simultaneous operation on both side of the conveyor</li> <li>4. Timing and temperature control</li> <li>5. Using hot glue or cold glue</li> </ol>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	---	---	---



**KY-650C Feed paper and Gluing Machine(Manual)**

	<p>Sheet width:80-800(mm)                  Sheet thickness:80-250(g)                  Capacity:7-40pcs/min                  Power:3HP/380V</p> <p>Overall Dimension(L*W*H):                  6250X1100X1000(mm)</p> <p>Packaging Dimension(L*W*H):                  First part:1600X1300X1070(mm)                  Sec part:2200X1000X1700(mm)</p> <p>Machine Weight: 800Kg                  Packaging Volume: 6CBM</p>	<ol style="list-style-type: none"> <li>1, Feed paper sheets by <b>Man power</b></li> <li>2, Equiped with suction device to avoid bending and bubbling</li> <li>3, Simultaneous operation on both side of the conveyor</li> <li>4, Timing and temperature control</li> <li>5,Using hot glue or cold glue</li> </ol>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
---	---	--	---	--

**KY-700 Heat-mult Gluing Machine**



	<p>Maximum sheet width:700(mm)                  Sheet thickness:80-300g                  Coating thickness:0.2-3.5(mm)                  Capacity:23m/min                  Power:5KW</p> <p>Overall Dimension(L*W*H):                  1200X450X980 (mm)</p> <p>Packaging Dimension(L*W*H):                  1300X500X1100(mm)</p> <p>Machine Weight: 100Kg                  Packaging Volume: 1CBM</p>	<p>Gluing machine is used to glue in the process of making Hardbook Cover, Gift Boxes,</p> <p>This machine is of sample struture, flexible operation,</p> <p><b>Convenient adjustment and even gluing application.</b></p>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	--	---	---

**KY-703 Heat-mult Gluing Machine**



	<p>Maximum sheet width:600(mm)-1300(mm)                  Sheet thickness:80-300g                  Coating thickness:0.2-3.5(mm)                  Capacity:23m/min                  Power:5KW</p> <p>Overall Dimension(L*W*H):                  1200X450X980 (mm)</p> <p>Packaging Dimension(L*W*H):                  1300X500X1100(mm)</p> <p>Machine Weight: 100Kg                  Packaging Volume: 1CBM</p>	<p>Gluing machine is used to glue in the process of making Hardbook Cover, Gift Boxes,</p> <p>This machine is of sample struture, flexible operation,</p> <p>Convenient adjustment and even gluing application.</p>	<p>Notebook, Folder, Ph</p>	
--	---	---	-----------------------------	---

**Rigid boxes Making Machine**



**KY-40 Box Corner Pasting Machine**

	<p>Minimum finished Case size:                  40X40X10(mm)                  Capacity: 1pcs/sec                  Power:0.5HP/200V</p> <p>Overall Dimension(L*W*H):                  800X500X1400(mm)</p> <p>Packaging Dimension(L*W*H):                  850X550X1500(mm)</p> <p>Machine Weight: 200Kg                  Packaging Volume: 1CBM</p>	<ol style="list-style-type: none"> <li>1. Single arm pressing device equipped with temperature controller.</li> <li>2. Turn over box by hand, workable for varied kinds of boxes.</li> <li>3. Environmental hot-melt adhesive tape is used to paste corner</li> <li>4. The length of tape can be adjustable from 5mm to 35mm</li> <li>5. Size of this Machine can be <b>Customized</b></li> </ol>	<p>Gift boxes, rigid boxes, Decorative boxes, inner box, or outside box</p>	
---	---	---	---	--



**KY-420 Box fold-in Machine**

	<p>Finished Case Size:                  420x360x150(mm)                  Capacity:20-30pcs/min                  Power:0.5HP/220V</p> <p>Overall Dimension(L*W*H):                  800X700X800(mm)</p> <p>Packaging Dimension(L*W*H):                  950X820X1170(mm)</p> <p>Machine Weight: 280Kg                  Packaging Volume: 1CBM</p>	<p>This machine is designed as folding and forming for the surface paper box</p> <p>The pressure nozzles are used to bend the extruding parts of the surface paper into the boxes, capable of adjusting the length and the height of the pressure nozzle according to the size of the boxes,</p> <p>This machines are equipped with device such as <b>pendal switch and magic eye switch</b></p>	<p>Gift boxes, rigid boxes, Decorative boxes, inner box, or outside box</p>	
--	--	--	---	---

**KY-180 Paper boxes press machine**

	<p>Finished Case Size(minimum):                  100X80X15(mm)</p> <p>Finished Case Size(Maximum):                  360X500X100(mm)</p> <p>Capacity:20-40pcs/min</p> <p>Power:1HP/380V</p>	<p>Paper boxes pressing machines is used to avoid and press the bubble on the surface of the paper</p> <p>boxes, it is wild used in the packaiga industry.</p>	<p>Gift boxes, rigid boxes, Decorative boxes, inner box, or outside box</p>	
--	--	--	---	---

**KY-500 Box Forming Machine**

	<p>Finished Case Size(minimum):                  100X80X15(mm)                  Finished Case Size(Maximum):                  360X500X100(mm)                  Capacity:20-40pcs/min                  Power:1HP/380V</p> <p>Overall Dimension(L*W*H):                  1450X1100X2650(mm)</p> <p>Packaging Dimension(L*W*H):                  1500X1170X2040(mm)</p> <p>Machine Weight: 600Kg                  Packaging Volume: 4CBM</p>	<p>Box forming machine is used to glue the cover paper on the <b>four sides of box,</b></p> <p>Make the cover paper coat and fold-in one after another</p>	<p>Gift boxes, Rigid boxes, Decorative boxes, Shoe Box, Phone Box, and other deluxe packaging boxes</p>	
--	---	--	---	---

**KY-1200 Dust free Slotting Machine**



Applied width: 50-1100mm  
 Applied length: 50mm-unlimited  
 Gap between two slots: 0-900mm  
 Applied thickness: 0.8mm-4.0mm  
 slotting Number: Max 8 (customize)  
 Speed: 10-35m/min  
 Power: 3.7KW/380V

Packaging Dimension(L\*W\*H):  
 L1500xW1400xH1600mm

Packaging Volume: 4CBM  
 Gross Weight: 1500Kg

Application:  
 Performs grooves on board sheets.  
 The wide size(1200MM) allows manufacturing most types of paper-over-board product, especially ring binders and sample book covers with joint spine.

Feature:  
**Environmental equipment, Dustless, and low noise**  
 High output and fast change-over time.  
 Production speed(over 60 pcs/min).  
 Complete with eight V-shaped blade and a blade sharper

Calendars, Notebook, Folder, Photo Album, **Wine Packaging Box, mooncake box, cosmetic box** and other deluxe packagings.



**Cardboard disposing Machine**

**KY-1350 Cardboard Slitting Machine**



Maximum Width: 1200(mm)  
 Thickness: 1-4(mm)  
 Capacity: 75m/min  
 Power: 1.5KW

Overall Dimension(L\*W\*H):  
 2000X1200X1100 (mm)

Packaging Dimension(L\*W\*H):  
 2050X1250X1200(mm)

Machine Weight: 2000Kg  
 Packaging Volume: 4CBM

Cardboard cutting machine is good at cutting bookboards, cardboard paper board

Simple Operation, flexible adjustment, high accuracy and efficiency

Bookboards, Cardboard Paper Board, Hard Cover, Hard Card



**KY-42 Medium Stripes Cutting Machine**



Sheet length: 420(mm)  
 Sheet width: 3-55(mm)  
 Sheet thickness: 0.1-4(mm)  
 Capacity: 200 times/min  
 Power: 1.1KW

Overall Dimension(L\*W\*H):  
 1127X1002X1360(mm)

Packaging Dimension(L\*W\*H):  
 1400X1052X1460(mm)


Machine Weight: 815Kg  
 Packaging Volume: 3CBM

Central stripes machine is used to cut the medium stripes of the cardboard paper,

It is very simple operation, high accuracy and efficiency

The single bar boards can be conveyed in the succession for nonstop cutting to prevent **low efficiency and low accuracy**

Bookboards, Cardboard Paper Board, Hard Cover, Hard Card



**Material for Glue Machines**

**KY-80 Plastic Adhesive Tape**



Thickness 0.11mm  
 Wide: 19mm  
 Longness: 300m  
 24 rolls/Carton  
 Weight: 12Kg/Carton

Packaging size/Carton:  
 400mmX230mmX260mm

MOQ: 20 Carton

This plastic tape is used for Corner taping machine  
 one roll tape can make 1500 pic boxes of size(200X150X20mm)

Gift boxes, Rigid boxes, Decorative boxes, Shoe Box, Phone Box, and other deluxe packaging boxes



**KY-502 Hot-Melt/Animal/Jelly Glue**



Weight: 2.5Kg/Bag.  
 36-29-25  
 MOQ: 500Kg

It is used for the high quality gift box, hard book cover, file and so on. All products have the examination report of the environmental protection safety of Hong Kong standard and testing center. All types of our glue past the RoHS certificate.

Jelly glue used in the machine which has the heating device. Because of the lower water in the glue, clean and environmental protection, it can avoid bad quality such as: Distortion, bubble, moldy and so on. Now it is necessary to use for the high quality gift box and hard book cover.

Glue of 1Kg can mix with water of 3Kg, which is able to cover sheet area of 1000m<sup>2</sup>

gift box, hard book cover, file and so on



**Contact us**

Factory address: Xiacao Industry area, Wangniudun town, Dongguan City, China  
 Contact person: Mr. Jacob Liao  
 Tel: +86-13650165734  
 Fax: +86-769-85516146  
 E-mail: rail.jacob@gmail.com  
 Website: <http://www.kylinmachinery.com>  
 MSN: winlxb@hotmail.com  
 Skype: dickeyliao