



Kylin Int'l Machinery Limited

Add: Xia Cao Industrial Zone Wangniudun Town Dongguan City, China

MSN: winlxb@hotmail.com

Tel: +86-13809820550

Fax: +86-769-85516146

Skype: dickeyliao



Website: <http://www.kylinmachinery.com>

E-Mail: rail.jacob@gmail.com



New Catalogue

Picture	Specifications	Description	Application	Sample Picture
Paper Bag Machine				

KY-1100A Handle paper Bag Machine



	<p>Maximum paper size: 600-1100mm (length) Minimum paper size: 350-500mm (width) height of paper bag: 40-200mm paper thickness: 128-350gsm for art paper 100-350gsm for kraft paper Production Speed: 60-80pcs/Min Engine Power: 2KW Heater power: 1KW Machine weight: 2000Kg Dimension: 6000X1900X1500 Packaging volume: 18CBM</p>	<p>Use: Suitable for making hand paper bag, such as vest bags, flat bags, square bottom bags, gift and so on. the material of paper can be OPP, gloss oil, second oil, optical cement, etc.</p> <p>Feature: Automatic feed paper, stepping motor for length-position, length-position at discretion, static dispel, frequency adjusting speed, auto-discharge. It enable the sample in good appearance, high speed, high efficiency. It is your ideal excellent environmental-protection bag making equipment</p>	<p>vest bags, flat bags, square bottom bags, gift and so on.</p>	
--	--	---	--	---

KY-400 Food paper bag machine



	<p>(Reel of paper) Max wide: 900mm Max Dia: 1000mm Paper thickness: 30 - 180g /m2 Bag length: 100 - 1300mm Bag width: 40 - 320mm Speed: 200-350pcs/min (output depends on quality of paper and bag making length) Power: 6.8.5KW+printed machine, 380V Total weight: 3250Kg Dimension: 10.5MX2.1MX1.4M</p>	<p>A) The paper bag material is fed by Roller, materials can be kraft paper, art paper, coated paper, ivory board, etc B) Suited for 30-180gsm paper. C) Controls bag length through the human-machine touch screen interface. D) PLC programmable servo motor control system E) Equipped with an accurate photocell system for printed mark tracking, with printed machine of 1-6color F) Color mark error automatic alarming and stopping system G) Automatic oil lubrication system</p>	<p>Kraft Paper, vest paper, flat paper, gift packaging, and so on</p>	
---	---	--	---	--

Book Binding Machinery



KY-480 Full-Automatic Casemaker

	<p>paper size: Min: 120 x 230mm Max: 450 x 780mm paper thickness: 100~200gsm Cardboard thickness: 1-3mm Min. spine width (S): 10mm Maximum quantity cardboard: 6Pcs production speed: 20-25 sheets/min Precision: ±0.50mm motor power: 5kw/380V 3phase Heater power: 6kw machine weight: 3300kg machine dimension: 7750*2500*1660mm Packaging Volume: 35CBM</p>	<ul style="list-style-type: none"> Ergonomically perfect arrangement of the feeding and removal stations Separate drives, extremely low downtimes, remarkably less waste material, convenient handling Practice proven combination of automatic and manual adjustments Double-cylinder system of the gluing station enables a thin and uniform glue application 	
--	---	---	---



KY-450 Semi-Automatic Case making machine (Single Worker with one machine)

	<p>Thickness: 80---170gsm Max size: 450x700mm Power: 1.2kw Voltage: 220v/50hz Speed: 200-400pcs/hour Air compressor: 0.6Mpa Weight: 320kg</p>	<p>This Case Maker consists of Manual Cluing Station for Hot Melt or Cold Glue, Feeder Automatic Board Placement with Pneumatic Control, Turning-in Station and Pressing Station. The Case maker is equipped with in-direct heating for hot melt glue with facility to add water which evaporates due to heat. The cover duly glued is held with high speed suction for placing the boards automatically. The adjustment for using small and big boards is simple & operator friendly. The Pressure rollers bind the cover with the board and stacks in the stacker. Whole operation takes 10 seconds to make a case with one worker.</p>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	---	--	---	---



KY-305 Stitching Machine

	<p>Speed 500pcs/h Thickness 0.3-4mm Max size 305x450mm Min size 89x127mm Thread size 25#--27# Electric power 0.75kw Machine size 2200x1320x1350mm Machine weight 320kg Advantage factory direct price</p>	<ol style="list-style-type: none"> 1) It installs Microcomputer control, can equip with two original USA M2000 stitching heads, Italy motor, Taiwan transducer. 2) Manual and automatic operation, speed adjusting, calculating, Automatically stop while paper jam happened 3) No stitching without paper. 4) Excellent and nice structure, easy operation 5) It is applicable for binding all kinds of books, magazines, albums, Advertising instructions etc. 6) It is the first select equipment for all kinds of printing binding. 	<p>Board book, children book, etc</p>	
--	---	---	---------------------------------------	---



KY-360S Casing in Machine

	<p>Power supply: 380v/50Hz Mainframe Power: 1.5kw Glue dimension size (max): 360*250mm Glue dimension size (min): 100*90mm Book spine size: 6-55mm Mainframe dimension: 1500*1100*1600mm Machine weight: 350kg Machine Weight: 780Kg Packaging Volume: 8CBM</p>	<p>Casing in machine is applies to hardcover book, note book, all relevant hardcover products. This machine structure is simple and it is easily operate during the process, it is change the size very quickly. Pasting glue very equally, the process operation very steady, it is applicable to large, medium, small scale quantity with high quality.</p>	<p>Board book, children book, etc</p>	
--	---	---	---------------------------------------	---



KY-3625 Press and creasing machine

	<p>Power Supply: 380V/50HZ Max pressing size: 360*250mm</p> <p>Max pressure:2T-5T Power: 1.8KW Overall Dimension(L*W*H): 1630 x 620 x 1550(mm)</p> <p>Machine Weight: 200Kg</p>	<p>It's used to press and crease the hard book cover, it is used after the process of casing-in machines</p>	<p>Board book, children book, etc</p>	
---	---	--	---------------------------------------	--



KY-800A Case maker with double conveyors

	<p>Sheet width:80-800(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:3HP/380V</p> <p>Overall Dimension(L*W*H): 8350X1100X1000(mm)</p> <p>Packaging Dimension(L*W*H): 1420X1070X1070(mm)</p> <p>Machine Weight: 1200Kg Packaging Volume: 9CBM</p>	<ol style="list-style-type: none"> 1, Automatic feed paper sheets, gluing, capable of consume thousands of paper sheets at one time 2, Equiped with suction device to avoid bending and bubbling 3, Simultaneous operation on both side of the conveyor, automatic stop system. 4, Timing and temperature control 5, Using hot glue or cold glue 	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	--	---	---

KY-600C Two Side Turn-in Machine



	<p>Sheet width:80-600(mm) Sheet length:100-2000(mm) Sheet thickness:80-200g Capacity:10-40pcs/min Power:2HP/380V</p> <p>Overall Dimension(L*W*H): 1850X1150X1050(mm) Packaging Dimension(L*W*H): 1900X1180X1060(mm) Machine Weight: 450Kg</p>	<p>The Side Wrapping Machine is designed to fold two sides of paper,</p> <p>The guide rollers lead the cover to the edge cover device,</p> <p>Then the edge cover device will fold both side of the paper and make it sticky tightly to the gray paper,</p> <p>Making it even smooth and good-looking</p>	<p>Hardbook Cover, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	---	--	---	---

KY-950 Planishing Machine



	<p>Finished Size: 900(mm) Maximum Capacity: 50 Pcs/Min Power: 1HP/380V</p> <p>Overall Dimension(L*W*H): 1200X1150X1700(mm)</p> <p>Packaging Dimension(L*W*H): 1300X1200X2000(mm)</p> <p>Machine Weight: 300Kg Packaging Volume: 4CBM</p>	<p>This machine is used to press air out of the glued book cover,</p> <p>Make it even smooth and good looking</p>	<p>Hardbook Cover, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
---	--	---	---	--

Gilding Machine Machine

KY-400 Gilding Machine Machine



	<p>Max stamping size: 400X410X400mm Min.Hot Stamping high: 65mm Size of Work table (W×D) mm: 580X560mm Air Compressor kw: 1.5KW Power Supply: 380V three phase Machine Dimensions (W×D×H) mm 1800×730×790 Weight: 480kg</p>	<p>Gilding gold or silver on the 3 sides or spines of a book, PLC control system, can stamp the round corner of the book, the wide, length, and high can be adjustable, very simple to operate</p>	<p>Deluxe Book making</p>	
--	---	---	---------------------------	---

KY-400-2 Gloden stamping machine



	<p>Max. Stamping Size: 400*600 mm (16*24 inch) Working table area: 800*520mm Max printing pressure: 15, 000 Kg Up and down distance: 70mm Heat wattage: 3000W Foil in feed: Motor Drive Temperature adjustment: 0-300oC.</p>	<ol style="list-style-type: none"> 1. Vertical Pressure design ensures big pression; 2. Capable of adjusting the stamping pressure, the temperature and the speed; 3. Worktable slight adjustment ensure precision stamping; 4. The height of the stamping head adjustable; 5. Automatic foil feeding and collecting. 6. Photocell installed to finish heat transfer process. <p>Caution: Pay attention to High temperature state when Machine running. Avoid Putting your hand on the working table while Machine starting. Stamping Plates Materials: Silicon Rubber Edition; Copper-Zincograph; Magnesium Edition.</p>	<p>Deluxe Book making</p>	
--	--	---	---------------------------	---

Gumming/Gluing Machine



KY-600A Gluing Machine with conveyor

	<p>Sheet width:80-600(mm) Sheet thickness:80-200(g) Capacity:7-40pcs/min Power:3HP/380V</p> <p>Overall Dimension(L*W*H): 6250X1100X1000(mm)</p> <p>Packaging Dimension(L*W*H): First part:1600X1300X1070(mm) Sec part:2200X1000X1700(mm)</p> <p>Machine Weight: 850Kg Packaging Volume: 6CBM</p>	<ol style="list-style-type: none"> 1, Automatic feed paper sheets by rubber wheel, gluing, capable of consume Thousand of paper sheets at one time 2, Equiped with suction device to avoid bending and bubbling 3, Simultaneous operation on both side of the conveyor 4, Timing and temperature control 5, Using hot glue or cold glue 	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	---	---	---

KY-700 Hot Gluing Machine



	<p>Maximum sheet width:700(mm) Sheet thickness:80-300g Coating thickness:0.2-3.5(mm) Capacity:23m/min Power:5KW</p> <p>Overall Dimension(L*W*H): 1200X450X980 (mm)</p> <p>Packaging Dimension(L*W*H): 1300X500X1100(mm)</p> <p>Machine Weight: 100Kg Packaging Volume: 1CBM</p>	<p>Gluing machine is used to glue in the process of making Hardbook Cover, Gift Boxes,</p> <p>This machine is of sample struture, flexible operation,</p> <p>Convenient adjustment and even gluing application.</p>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
---	---	--	---	--

KY-703 Cold Gluing Machine



	<p>Maximum sheet width:600(mm)-1300(mm) Sheet thickness:80-300g Coating thickness:0.2-3.5(mm) Capacity:23m/min Power:5KW</p> <p>Overall Dimension(L*W*H): 1200X450X980 (mm)</p> <p>Packaging Dimension(L*W*H): 1300X500X1100(mm)</p> <p>Machine Weight: 100Kg Packaging Volume: 1CBM</p>	<p>Gluing machine is used to glue in the process of making Hardbook Cover, Gift Boxes,</p> <p>This machine is of sample struture, flexible operation,</p> <p>Convenient adjustment and even gluing application.</p>	<p>Hardbook Cover, Gift boxes, Calendars, Notebook, Folder, Photo Album, and other deluxe packagings.</p>	
--	--	---	---	---

Rigid boxes Making Machine



KY-40 Box Corner Pasting Machine

	<p>Minimum finished Case size: 40X40X10(mm) Capacity: 1pcs/sec Power:0.5HP/200V</p> <p>Overall Dimension(L*W*H): 800X500X1400(mm)</p> <p>Packaging Dimension(L*W*H): 850X550X1500(mm)</p> <p>Machine Weight: 200Kg Packaging Volume: 1CBM</p>	<ol style="list-style-type: none"> 1. Single arm pressing device equipped with temperature controller. 2. Turn over box by hand, workable for varied kinds of boxes. 3. Environmental hot-melt adhesive tape is used to paste corner 4. The length of tape can be adjustable from 5mm to 35mm 5. Size of this Machine can be Customized 	<p>Gift boxes, rigid boxes, Decorative boxes, inner box, or outside box</p>	
--	---	---	---	---

KY-500-1 Box Forming Machine



	<p>Power supply:380v/50hz Shape dimension(max):420*300*70mm Shape dimension(min):80*55*10mm Work speed:20-38pcs/mi Mainframe power:1.5kw Machine dimension:1300*1200*2300mm Machine weight:1200kg</p>	<p>This machine is applies to gift boxes, packing boxes etc for the four corner molding and folding machine. This machine has small volume, easy operation, quickly speed, this machine operates automatically for open, molding and folding. Use transducer to adjust the speed and make the production quickly and safely. Use the electric brushes to make the machine more tightly and smoothly.</p>	<p>Gift boxes, Rigid boxes, Decorative boxes, Shoe Box, Phone Box, and other deluxe packaging boxes</p>	
---	---	--	---	--

KY-1200 Dust free Slotting Machine



	<p>Applied width: 50-1100mm Applied length:50mm-unlimited Gap between two slots: 0-900mm Applied thickness: 0.8mm-4.0mm slotting Number:Max 8 (customize) Speed: 10-35m/min Power:3.7KW/380V</p> <p>Packaging Dimension(L*W*H): L1500xW1400xH1600mm</p> <p>Packaging Volume: 4CBM Gross Weight: 1500Kg</p>	<p>Application: Performs grooves on board sheets. The wide size(1200MM) allows manufacturing most types of paper-over-board product, especially ring binders and sample book covers with joint spine.</p> <p>Feature: Environmental equipment, Dustless, and low noise High output and fast change-over time. Production speed(over 60 pcs/min). Complete with eight V-shaped blade and a blade sharper</p>	<p>Calendars, Notebook, Folder, Photo Album, Wine Packaging Box, mooncake box, cosmetic box and other deluxe packagings.</p>	
--	--	--	---	---

Cardboard disposing Machine

KY-1350 Cardboard Slitting Machine

	<p>Maximum Width: 1200(mm) Thickness:1-4(mm) Capacity: 75m/min Power:1.5KW</p> <p>Overall Dimension(L*W*H): 2000X1200X1100 (mm)</p> <p>Packaging Dimension(L*W*H): 2050X1250X1200(mm)</p> <p>Machine Weight: 2000Kg Packaging Volume: 4CBM</p>	<p>Cardboard cutting machine is good at cutting bookboards, cardboard paper board</p> <p>Simple Operation, flexible adjustment, high accuracy and efficiency</p>	<p>Bookboards, Cardboard Paper Board, Hard Cover, Hard Card</p>	
--	--	--	---	---

KY-42 Medium Stripes Cutting Machine

	<p>Sheet length: 420(mm) Sheet width: 3-55(mm) Sheet thickness:0.1-4(mm) Capacity: 200 times/min Power:1.1KW</p> <p>Overall Dimension(L*W*H): 1127X1002X1360(mm)</p> <p>Packaging Dimension(L*W*H): 1400X1052X1460(mm)</p> <p>Machine Weight:815Kg Packaging Volume: 3CBM</p>	<p>Central stripes machine is used to cut the medium stripes of the cardboard paper,</p> <p>It is very simple operation, high accuracy and efficiency</p> <p>The single bar boards can be conveyed in the succession for nonstop cutting to prevent low efficiency and low accuracy</p>	<p>Bookboards, Cardboard Paper Board, Hard Cover, Hard Card</p>	
--	---	--	---	---